

Some Medically Important Fungi and Their Common Synonyms and Names of Uncertain Application

Michael R. McGinnis, Lynne Sigler, and
Michael G. Rinaldi

*From the Department of Pathology and Center for Tropical Diseases,
University of Texas Medical Branch, Galveston, Texas; the University of
Alberta Microfungus Collection and Herbarium, Devonian Botanic Garden,
and Department of Medical Microbiology and Immunology, University of
Alberta, Edmonton, Alberta, Canada; and the Department of Pathology, The
University of Texas Health Science Center at San Antonio, San Antonio, Texas*

This list of medically important fungi is neither complete nor exhaustive. Because of the nature of taxonomy and classification approaches, the treatment of the various names included in this list will not necessarily reflect the opinion of each authority on mycology. The names selected for inclusion in this list represent fungi that are important to clinicians and microbiologists in clinical microbiology laboratories.

Fungus Name in Current Use	Synonym or Name of Uncertain Application	Fungus Name in Current Use	Synonym or Name of Uncertain Application
<i>Absidia corymbifera</i>	<i>Absidia ramosa</i> <i>Mucor corymbifer</i>	<i>Aspergillus glaucus</i>	<i>Aspergillus glaucus</i> group For anamorph of <i>Eurotium herbariorum</i>
<i>Acremonium</i> species	<i>Cephalosporium</i> species	<i>Aspergillus reptans</i>	<i>Aspergillus glaucus</i> group
<i>Acremonium falciforme</i>	<i>Cephalosporium falciforme</i>		For anamorph of <i>Eurotium repens</i>
<i>Acremonium kiliense</i>	<i>Cephalosporium granulomatis</i>	<i>Aspergillus thermomutatus</i>	<i>Aspergillus fischeri</i> var. <i>thermomutatus</i>
<i>Acremonium recifei</i>	<i>Cephalosporium infestans</i>		For anamorph of <i>Neosartorya pseudofischeri</i>
<i>Ajellomyces capsulatus</i>	<i>Cephalosporium madurae</i>	<i>Aspergillus vitis</i>	<i>Aspergillus glaucus</i> group
<i>Alternaria alternata</i>	<i>Cephalosporium recifei</i>		For anamorph of <i>Eurotium amstelodami</i>
<i>Alternaria infectoria</i>	<i>Emmonsia capsulata</i>		<i>Dematioidium pullulans</i>
<i>Aphanoascus fulvescens</i>	<i>Alternaria</i> state of <i>Pleospora (Lewia) infectoria</i>		<i>Basidiobolus ranarum</i>
	<i>Aphanoascus cinnabarinus</i>		
	<i>Anixiopsis fulvescens</i>		
	<i>Anixiopsis stercoraria</i>		
<i>Arthroderma</i> species	<i>Nannizzia</i> species	<i>Bipolaris australiensis</i>	
<i>Arthroderma borellii</i>	<i>Nannizzia borellii</i>	<i>Bipolaris hawaiiensis</i>	
<i>Arthroderma cajetani</i>	<i>Nannizzia cajetani</i>	<i>Bipolaris spicifera</i>	
<i>Arthroderma cookiellum</i>	<i>Nannizzia cookiella</i>		
<i>Arthroderma corniculatum</i>	<i>Nannizzia corniculata</i>	<i>Blastoschizomyces capitatus</i>	
<i>Arthroderma fulvum</i>	<i>Nannizzia fulva</i>		
<i>Arthroderma grubyi</i>	<i>Nannizzia gypsea</i> var. <i>fulva</i>	<i>Botryodiplodia theobromae</i>	
<i>Arthroderma gypseum</i>	<i>Nannizzia grubyi</i>	<i>Candida albicans</i>	
	<i>Gymnoascus gypseus</i>		
	<i>Nannizzia gypsea</i>		
<i>Arthroderma incurvatum</i>	<i>Nannizzia incurvata</i>	<i>Candida dubliniensis</i>	
<i>Arthroderma obtusum</i>	<i>Nannizzia obtusa</i>	<i>Candida famata</i>	
<i>Arthroderma otae</i>	<i>Nannizzia otae</i>	<i>Candida glabrata</i>	
<i>Arthroderma persicolor</i>	<i>Nannizzia quinckeana</i>	<i>Candida haemulonii</i>	
<i>Arthroderma racemosum</i>	<i>Nannizzia persicolor</i>	<i>Candida kefyr</i>	
<i>Arthrographis kalrae</i>	<i>Nannizzia racemosa</i>	<i>Candida tropicalis</i>	
<i>Aspergillus fischerianus</i>	<i>Oidiodendron kalrae</i>	<i>Cerinosterus cyanescens</i>	
<i>Aspergillus fumigatus</i>	<i>Arthrographis langeroni</i>	<i>Chaetomium strumarium</i>	
	<i>Aspergillus fischeri</i>		
	For anamorph of <i>Neosartorya fischeri</i>		
	<i>Aspergillus phialiseptus</i>		

Correspondence: Dr. Michael R. McGinnis, Department of Pathology and Center for Tropical Diseases, University of Texas Medical Branch, 301 University Boulevard, Galveston, Texas 77555-0609 (michael.mcginis@utmb.edu).

Clinical Infectious Diseases 1999;29:728–30
This article is in the public domain.

Fungus Name in Current Use	Synonym or Name of Uncertain Application	Fungus Name in Current Use	Synonym or Name of Uncertain Application
<i>Cladophialophora bantiana</i>	<i>Cladosporium bantianum</i> <i>Cladosporium trichoides</i> <i>Cladosporium trichoides</i> var. <i>chlamydosporum</i> <i>Xylohypha bantiana</i>	<i>Kluyveromyces marxianus</i> <i>Lacazia loboi</i>	<i>Kluyveromyces fragilis</i> <i>Blastomyces loboi</i> <i>Loboa loboi</i> <i>Paracoccidioides loboi</i> <i>Phialophora hoffmannii</i>
<i>Cladophialophora boppii</i>	<i>Taeniola boppii</i>	<i>Lecythophora hoffmannii</i>	<i>Phialophora mutabilis</i>
<i>Cladophialophora carriionii</i>	<i>Cladophialophora ajelloi</i>	<i>Lewia infectoria</i>	<i>Phialophora mutabilis</i>
<i>Cladophialophora devriesii</i>	<i>Cladosporium carriionii</i>	<i>Malassezia furfur</i> ¶	<i>Pleospora infectoria</i>
<i>Cladosporium</i> species	<i>Cladosporium devriesii</i>		<i>Cladosporium mansonii</i>
<i>Conidiobolus coronatus</i>	<i>Hormodendrum</i> species		<i>Pityrosporum furfur</i>
<i>Cryptococcus neoformans</i> var. <i>gattii</i>	<i>Cryptococcus bacillisporus</i>		? <i>Pityrosporum orbiculare</i>
<i>Cunninghamella bertholletiae</i>	<i>Cunninghamella elegans</i> (misidentification)		<i>Pityrosporum ovale</i>
<i>Cylindrocarpon cyanescens</i>	<i>Phialophora cyanescens</i>		<i>Pityrosporum canis</i>
<i>Cylindrocarpon lichenicola</i>	<i>Cylindrocarpon tonkinense</i>		<i>Pityrosporum pachydermatis</i>
<i>Emmonsia crescens</i>	<i>Emmonsia parva</i> var. <i>crescens</i>		<i>Microsporum distortum</i>
<i>Emmonsia parva</i>	<i>Chrysosporium parvum</i> var. <i>crescens</i>		<i>Microsporum persicolor</i>
<i>Epidermophyton floccosum</i>	<i>Emmonsia parva</i> var. <i>parva</i>		<i>Mucor indicus</i>
<i>Exophiala castellanii</i>	<i>Chrysosporium parvum</i> var. <i>parvum</i>		<i>Nattrassia mangiferae</i>
<i>Exophiala jeanselmei</i>	<i>Trichophyton cruris</i>		<i>Neotestudina rosati</i>
<i>Exophiala spinifera</i>	<i>Exophiala jeanselmei</i> var. <i>castellanii</i>		<i>Ochroconis gallopavum</i> ##
<i>Exserohilum rostratum</i>	<i>Exophiala mansoni</i>		<i>Ophistoforma stenoceras</i>
<i>Filobasidiella neoformans</i> var. <i>bacillispora</i>	<i>Phialophora gougerotii</i> (in part)		<i>Paecilomyces lilacinus</i>
<i>Fonsecaea compacta</i>	<i>Phialophora jeanselmei</i>		<i>Phaeoacremonium parasiticum</i>
<i>Fonsecaea pedrosoi</i>	<i>Phaeoannellomyces elegans</i> (in part)		<i>Phialophora americana</i> ‡
<i>Fusarium coeruleum</i>	<i>Phialophora spinifera</i>		<i>Pseudallescheria boydii</i>
<i>Fusarium dimerum</i> (in part)	<i>Rhinocladiella spinifera</i>		<i>Pseudochaetosphaeronema larense</i>
<i>Fusarium verticillioides</i> *	<i>Bipolaris halodes</i>		<i>Pythium insidiosum</i> **
<i>Fusarium pallidoroseum</i> †	<i>Bipolaris rostratum</i>		
<i>Galactomyces geotrichum</i>	<i>Drechslera halodes</i>		<i>Ramichloridium obovoideum</i>
<i>Geomycetes pannorum</i>	<i>Drechslera longirostrata</i>		<i>Rhinocladiella aquaspersa</i>
<i>Geotrichum klebhanii</i>	<i>Drechslera rostrata</i>		<i>Rhizomucor pusillus</i>
<i>Histoplasma capsulatum</i> var. <i>capsulatum</i> ‡	<i>Helminthosporium rostratum</i>		<i>Rhizopus arrhizus</i>
<i>Histoplasma capsulatum</i> var. <i>duboisii</i> ‡	<i>Filobasidiella bacillispora</i>		<i>Rhizopus microsporus</i> var. <i>oligosporus</i>
<i>Histoplasma capsulatum</i> var. <i>farciminosum</i> ‡	<i>Fonsecaea compactum</i>		<i>Rhizopus microsporus</i> var. <i>rhizopodiformis</i>
<i>Hormonema dematioides</i> §	<i>Phialophora compactum</i>		<i>Rhizopus stolonifer</i>
<i>Hortaea werneckii</i>	<i>Rhinocladiella compactum</i>		
	<i>Phialophora pedrosoi</i>		<i>Scedosporium apiospermum</i>
	<i>Rhinocladiella pedrosoi</i>		<i>Scedosporium prolificans</i>
	<i>Fusarium solani</i> var. <i>coeruleum</i>		<i>Scolecobasidium constrictum</i>
	<i>Fusarium episphaeria</i>		<i>Scolecobasidium humicola</i>
	<i>Fusarium moniliforme</i> (in part)		<i>Scolecobasidium tshawytschae</i>
	<i>Fusarium semitectum</i>		<i>Scytalidium dimidiatum</i>
	<i>Dipodascus geotrichum</i>		
	<i>Endomyces geotrichum</i>		<i>Sporothrix schenckii</i> ††
	<i>Chrysosporium pannorum</i>		<i>Sporotrichum pruinosum</i>
	<i>Geotrichum penicillatum</i>		<i>Stenella araguata</i>
	<i>Trichosporon penicillatum</i>		<i>Trichophyton species</i>
	<i>Histoplasma capsulatum</i>		<i>Trichophyton ajelloi</i>
	For some isolates misidentified as <i>Aureobasidium pullulans</i>		
	<i>Cladosporium werneckii</i>		
	<i>Exophiala werneckii</i>		
	<i>Phaeoannellomyces werneckii</i>		

Fungus Name in Current Use	Synonym or Name of Uncertain Application	Fungus Name in Current Use	Synonym or Name of Uncertain Application
<i>Trichophyton mentagrophytes</i>	<i>Trichophyton granulare</i> <i>Trichophyton granulosum</i> <i>Trichophyton gypseum</i> <i>Trichophyton interdigitale</i> <i>Trichophyton mentagrophytes</i> var. <i>quinkeanum</i> <i>Trichophyton quinkeanum</i> <i>Trichophyton erinacei</i>	<i>Trichosporon asteroides</i> <i>Trichosporon beigelii</i> ^{§§} <i>Trichosporon inkin</i> <i>Trichosporon mucoides</i> <i>Trichosporon ovoides</i> <i>Wangiella dermatitidis</i> [¶]	? <i>Fissuricella filamenta</i> ? <i>Prototheca filamenta</i> For some isolates identified as <i>Trichosporon cutaneum</i> <i>Fissuricella filamenta</i> <i>Sarcinomyces inkin</i> For some isolates identified as <i>Trichosporon beigelii</i> <i>Trichosporon beigelii</i> (in part) <i>Exophiala dermatitidis</i> <i>Fonsecaea dermatitidis</i> <i>Hormiscium dermatitidis</i> <i>Hormodendrum dermatitidis</i> <i>Phialophora dermatitidis</i>
<i>Trichophyton mentagrophytes</i> var. <i>erinacei</i>			
<i>Trichophyton krajdenii</i> ^{†‡}	<i>Trichophyton mentagrophytes</i> var. <i>nodulare</i>		
<i>Trichophyton tonsurans</i>	<i>Trichophyton tonsurans</i> var. <i>sulphureum</i>		
<i>Trichosporon asahii</i> ^{§§}	For some isolates identified as <i>Trichosporon beigelii</i>		

* It is controversial as to which name should be used. Both names apply to the same fungus. *Fusarium verticillioides* is preferred over the name *Fusarium moniliforme*, which has a broader concept, but most reports concerning infections refer to *F. moniliforme*.

† *Fusarium incarnatum* may be an earlier name for both *Fusarium pallidorseum* and *Fusarium semitectum*.

‡ On the basis of genetic differences, it has been suggested that these represent separate species rather than varieties; however, the delimitation of the species is not clearly resolved.

§ *Hormonema dematioides* was incorrectly identified as *Aureobasidium pullulans* in some case reports.

|| On the basis of genetic and nutritional differences, the new species *Malassezia globosa*, *Malassezia obtusa*, *Malassezia restricta*, and *Malassezia slooffiae* have been described.

Phialophora verrucosa and *Phialophora americana* have been considered synonyms in the past, but recent molecular studies show them to be separate species.

** *Pythium insidiosum* is an oomycete that should be classified in the kingdom Chromista. If the concept of five kingdoms is used, *P. insidiosum* would be classified in the kingdom Protocista.

†† At the beginning of the 20th century, *Sporothrix schenckii* was misidentified as *Sporotrichum gougerotii*. Later, *Exophiala jeanselmei* was misidentified as *Sporotrichum gougerotii*.

‡‡ This name has been proposed but is not widely accepted.

§§ According to recent treatment of the genus *Trichosporon*, *Trichosporon beigelii* is abandoned in favor of *Trichosporon asahii*, *Trichosporon cutaneum*, *Trichosporon mucoides*, *Trichosporon ovoides*, and *Trichosporon inkin* as the etiologic agents of human infections.

¶|| The taxonomy of *Wangiella dermatitidis* is controversial.

The generic disposition for this species is unclear for *Ochroconis* or *Scolecobasidium*.